

SECTION 1: Identification of the substance/mixture and of the company/undertaking**· 1.1 Product identifier**

· **Trade name:** JUBOFLEX SILIKON

· **Article number:** JXS

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sealant JUBOFLEX SILIKON, JXS.

· Product category

JUBOFLEX SILIKON is a permanently flexible, neutral silicone, one-component sealant used to seal cracks between materials of different kinds in damp rooms.

· Application of the substance / the mixture

JUBOFLEX SILIKON is intended for obtaining long-lasting joints between glass, silicate and artificial materials in sanitary facilities. It can be used to seal cracks between materials of different kinds in damp rooms: bathrooms, kitchens, shower rooms, hospitals, schools and restaurants, for sealing joints of different materials (glass, wood, concrete, brick, stone, ceramics, metal, aluminium, most plastics) and for polycarbonate glass.

It is distinguished by excellent adhesion on most building materials without a pre-coat, good mechanical characteristics, it bears 25 % of dilatation, resistant to different weather conditions, rain, snow, extreme temperatures, UV resistant, does not cause corrosion. It contains a supplement protecting the sealant against mould.

· 1.3 Details of the supplier of the safety data sheet**· Manufacturer/Supplier:**

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

SLOVENIA

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

· Further information obtainable from:

Product safety department:

TRC JUB d.o.o.

Branko Petrovic, MSc

T: +386 1 5884 185

F: +386 1 5884 227

E: branko.petrovic@trc-jub.si

· 1.4 Emergency telephone number:

During normal opening times (8 - 16h CET) Group JUB: +386 1 5884 185

United Kindom: NPIS 0870 600 6266

SECTION 2: Hazards identification**· 2.1 Classification of the substance or mixture**

In accordance with Regulations on the classification of chemicals (Rules on classification and mainly directives EU 1967/548/EEC and 1999/45/EC, neither bound by the Regulation CLP 2008/1272/EC), the product is not classified as a hazardous compound since the content of potentially hazardous components is lower than the classification criteria.

· Classification according to Regulation (EC) No 1272/2008

The substance is not classified as hazardous to health or environment according to the CLP regulation.

The product is not classified according to the CLP regulation.

· **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.01.2014

Revision: 31.01.2014

Trade name: JUBOFLEX SILIKON

(Contd. of page 1)

- **Information concerning particular hazards for human and environment:**
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
 - **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
-
- **2.2 Label elements**
 - **Labelling according to EU guidelines:**
Observe the general safety regulations when handling chemicals.
The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).
 - **Hazard-determining components of labelling:**
butan-2-one O,O',O''-(vinylsilylidyne)trioxime
 - **Special labelling of certain preparations:**
Contains butan-2-one O,O',O''-(vinylsilylidyne)trioxime. May produce an allergic reaction.
Safety data sheet available for professional user on request.
 - **2.3 Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
Main ingredients of JUBOFLEX SILIKON are silicone polymeric binders, thickening agents, supplements and water.
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 22984-54-9 EINECS: 245-366-4	butan-2-one O,O',O''-(methylsilylidyne)trioxime ☒ Xn R21 ⚠ Acute Tox. 4, H312	3.0 - 5.0%
CAS: 64742-46-7 EINECS: 265-148-2	Distillates (petroleum), hydrotreated middle ☒ Xn R65 Carc. Cat. 2	2.0 - 4.0%
CAS: 2224-33-1 EINECS: 218-747-8	butan-2-one O,O',O''-(vinylsilylidyne)trioxime ☒ Xi R38-41; ☒ Xi R43 ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; ⚠ Skin Sens. 1, H317	< 1.0%

- **Additional information:**

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.01.2014

Revision: 31.01.2014

Trade name: JUBOFLEX SILIKON

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** CO₂, sand, extinguishing powder. Do not use water.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:**
Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- **Further information about storage conditions:**
Store under lock and key and with access restricted to technical experts or their assistants only.
- **Storage class:** Storage class: 12 – Incombustible products
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.01.2014

Revision: 31.01.2014

Trade name: JUBOFLEX SILIKON

(Contd. of page 3)

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling**· Risk management measures**

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of EN 388 (Category II).

- Protective goggles must comply with standard EN 166

- Protective mask respirator for small dust particles must conform to standard EN 149

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties**· General Information****· Appearance:**

Form:	Pasty
Colour:	Different according to colouring
· Odour:	Characteristic
· Odour threshold:	Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure: Not determined.

· Density at 20 °C:	1.3 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.01.2014

Revision: 31.01.2014

Trade name: JUBOFLEX SILIKON

(Contd. of page 4)

- | | |
|---|---|
| · Solubility in / Miscibility with water: | Fully miscible. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 3.5 % |
| VOC (EC) | VOC content: max 3.5%
(the product is not subject to the Directive 2004/42/CE) |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values relevant for classification:**
 - oral. > 5000 mg/kg (Rat)
 - dermal. > 5000 mg/kg(Rat)
 - inhal. > 5 mg/kg, 4h (Rat)
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.01.2014

Revision: 31.01.2014

Trade name: **JUBOFLEX SILIKON**

(Contd. of page 5)

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.

- **European waste catalogue**

08 01 12	waste paint and varnish other than those mentioned in 08 01 11
17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
15 01 02	plastic packaging

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|---|---|
| · 14.1 UN-Number | <i>JUBOFLEX SILIKON is not classified as a substance or compound which would be dangerous for transport in accordance with provisions of ADR.</i> |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Following regulation was considered in the preparation of document:
Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.
- In accordance with the current regulation the product is not classified as a dangerous substance or mixture. General safety measures should be considered when working or handling with the product.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.01.2014

Revision: 31.01.2014

Trade name: **JUBOFLEX SILIKON**

(Contd. of page 6)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

R21 Harmful in contact with skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R65 Harmful: may cause lung damage if swallowed.

· **Recommended restriction of use**

Indications contained by this document are based on the state of our knowledge at the moment of revision of this document. They do not present the guarantee for characteristics of the described product in terms of statutory provisions for guarantee.

Making this document available does not relieve the purchaser of this product from their responsibility to comply with applicable laws and provisions applying to this product. This is especially true for the resale of this product or mixtures made from it or products on other fields of law as well as for industrial property rights of the third party. If you process the described product or mix it with other materials, indications contained by this document cannot be transferred onto the thus obtained new product unless this is especially mentioned. In the repacking of the product, the customer must append the necessary security relevant information.

· **Department issuing MSDS: Product safety department**

· **Contact:**

Branko Petrovic, MSc.

T: + 386 1 5884 185

E: branko.petrovic@trc-jub.si

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent