



CERTIFICATE OF QUALITY

Page : 1/1
Date of issue : September 13th, 2010

1.	PRODUCT NAME JUB OFLEX AKRIL Acrylic sealant
2.	GENERAL DESCRIPTION One – component sealant based on acrylic dispersion, used for sealing porous materials in the interior.
3.	COMPOSITION Water – based polymers, special additives.
4.	PHYSICAL AND CHEMICAL PROPERTIES 4.1. APPEARANCE : paste 4.2. COLOUR : white 4.3. DENSITY (kg/dm ³ /20°C) : app.1,60 4.4. FLASH POINT : / 4.5. HARDNESS SHORE A : 20 – 25 (ISO 868) 4.6. CHANGE IN VOLUME (%) : 13 ± 1 (ISO 10563) 4.7. TENSILE STRENGTH (MPa) : 0,13 ± 0,02 (EN 28339) 4.8. ELONGATION AT BREAK (%) : 350 ± 50 (EN 28339)
5.	HAZARDS IDENTIFICATION This product is classified as NOT HAZARDOUS according to EC – directive EU 1999/45/EC.
6.	TEST REPORTS /
7.	The document was issued with the intention to prove the quality of the product according to specific requirements. <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 45%;"> <p>R&D Coordination Manager Damjan Saksida, B. Sc. Chem. Techn.</p>  </div> <div style="width: 45%; text-align: right;">  <p>JUB d.o.o. Dol pri Ljubljani 28 SI-1262 Dol pri Ljubljani Slovenija</p> <p style="text-align: right; font-size: small;">1</p> </div> </div>