


CERTIFICATE OF QUALITY

Page: 1/1
Date of issue: September 16, 2008

1.	PRODUCT NAME EPS ADHESIVE MORTAR (EPS lepilna malta)
2.	GENERAL DESCRIPTION Microfibre reinforced <u>adhesive mortar and base coat</u> for the ETICS JUBIZOL based on EPS boards.
3.	COMPOSITION Dry mix cement based mortar with special organic additives.
4.	PHYSICAL AND CHEMICAL PROPERTIES 4.1. APPEARANCE: powder 4.2. COLOUR: grey 4.3. BULK DENSITY (kg/m ³ /20°C): app.1300 4.4. FLASH POINT: / 4.5. WVTR μ (-): $\mu < 85$ 4.6. VALUE Sd(m), d= 3 mm: Sd<0,30 (EN ISO 7783-2, Class 2, medium) 4.7. LIQUID WATER PERMEABILITY (kg/m ² h ^{0,5}): W _{24h} <0,10 (EN 1062 -3, Class 1, low) 4.8. ADHESION TO CONCRETE (EN 24624): >0,6 N/mm ²
5.	HAZARDS IDENTIFICATION This product is classified as HAZARDOUS according to EC-directive EU 1999/45/EC. Xi, IRRITANT , contains cement.
6.	TEST REPORTS ETA for all types of JUBIZOL ETICS  ETAG 004
7.	The document was issued with the intention to prove the quality of the product according to specific requirements. This construction product is a mineral based render, component of ETICS JUBIZOL due to ETAG 004 and must bear CE-marking. EC Declaration of Conformity is issued. R&D Coordination Manager Damjan Saksida, B. Sc. Chem. Techn.