

JUB kemična industrija d.o.o. Dol pri Ljubljani 28 SI-1262 Dol pri Ljubljani Slovenija T: 01 588 42 46, F: 01 588 42 50 E: jub@jub. si

CERTIFICATE OF QUALITY

Page: 1/1 Date of issue: June 16, 2008

| 1. | PRODUCT NAME |
|-------|--|
| | FINE RENDER 0,6/1,0 (Fini omet) Water Repellent Fine-grained White Render |
| 2. | GENERAL DESCRIPTION |
| | Dry mix lime-cement based mortar. |
| 3. | COMPOSITION |
| | Dry mix lime-cement based mortar with special organic additives. |
| 4. | PHYSICAL AND CHEMICAL PROPERTIES |
| 4.1. | APPEARANCE: powder |
| 4.2 | COLOUR: off-white |
| 4.3. | BULK DENSITY (kg/m³/20ºC): app. 1350 - 1500 |
| 4.4. | pH (20°C): 11,5 – 13,0 (paste form) |
| 4.5. | FLASH POINT: / |
| 4.6. | DRY FILM THICKNESS (mm): up to 5 mm (one layer) |
| 4.7. | WVTR μ (-): μ <20 |
| 4.8. | VALUE Sd(m), d= 5mm: Sd<0,10 (EN ISO 7783-2, Class 1, high) |
| 4.9. | LIQUID WATER PERMEABILITY (kg/m ² h ^{0,5}): W _{24 h} <0,20 (EN 1062 –3, Class 2, medium) |
| 4.10. | ADHESION TO MINERAL RENDER (EN 1015-12): >0,2 N/mm ² |
| 5. | HAZARDS IDENTIFICATION |
| | This product is classified as HAZARDOUS according to EC-directive EU 1999/45/EC. |
| | Xi, IRRITANT, contains cement and lime. |
| 6. | TEST REPORTS |
| | |
| | ZAG Ljubljana, Report P 13/04 – 410-1, 12. 02. 2004 |
| 7. | The document was issued with the intention to prove the quality of the product according |
| | to specific requirements. |
| | This construction product is a mineral based render due to EN 998-1 and must bear |
| | CE-marking. EC Declaration of Conformity is issued. |
| | |
| | R&D Coordination Manager |
| | Damjan Saksida, B. Sc. Chem. Techn. |
| | |



