

**MATERIAL SAFETY DATA SHEET****MINERAL TROWELLED RENDER**Page 1/4  
Date of issue  
Feb. 10, 2009

Version 05

**1. IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY****Product name:** MINERAL TROWELLED RENDER 2,0/2,5  
(MINERALNI ZARIBAN OMET 2,0/2,5)**Product description:** Decorative ready-mixed lime-cement based renders.**Producer:** JUB chemical industry  
Dol pri Ljubljani 28  
1262 Dol pri Ljubljani  
Slovenia  
Phone: +386 1 58 84 183  
Fax.: +386 1 58 84 250  
E-mail: [info@jub.si](mailto:info@jub.si)  
Internet: [www.jub.eu](http://www.jub.eu)**Emergency / information contact:** TRC-JUB (Technological Research Centre JUB)  
Phone: + 386 1 58 84 185  
Fax.: + 386 1 58 84 227  
E-mail: [info@trc-jub.si](mailto:info@trc-jub.si)**2. HAZARDS IDENTIFICATION****Human health hazards:** Fresh mortar is alkaline. Irritating to eyes and skin. Risk of serious damage to eyes.**Environmental hazards.** No classification according to EC- directives.**3. COMPOSITION/INFORMATION ON INGREDIENTS****Composition:** Cement, lime, organic additives and mineral aggregates.

Hazardous ingredients	Wt.-%	CAS-No. EC-No. INDEX-No.	Danger symbol	Risk phrases
White Cement	2,5 - 10	65997-15-1 266-043-4 -	Xi	36/38-41
Calcium hydroxide	10 - 25	1305-62-0 215-137-3 -	Xi	36/38-41

#### 4. FIRST AID MEASURES

<b>Inhalation</b>	/
<b>Skin contact</b>	Wash skin with water.
<b>Eyes contact</b>	Flush eyes with water for 10 to 15 minutes, if necessary get medical attention.
<b>Ingestion</b>	Rinse mouth, several times drink small amount of water, obtain medical attention immediately.

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing media.** /  
**Fire fighting procedures.** /

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions.** Prevent formation of dust.

**Environmental precautions.** Do not empty into drains or water.

**Cleaning / Disposal.** Contain dry powder spills mechanically (dry).

#### 7. HANDLING AND STORAGE

**Handling.** Transport the product in closed bags. Fresh mortar is alkaline, protect eyes.

**Storage.** Keep in dry place, protect from moisture. Do not store together with acids.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Respiratory protection.** Under very dusty conditions use nose and mouth gauze filter

**Hand and body protection.** Repeated or prolonged skin contact: use protective hand cream. Wear suitable protective clothing.

**Eye protection.** Prevent eyes contact with product dust and fresh mortar.

**Hygiene measures.** Wash hands before breaks and immediately after handling the product.

Product: MINERAL TROWELLED RENDER 2,0/2,5

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	powder
<b>Colour:</b>	off-white, shades
<b>Odour:</b>	odourless
<b>pH:</b>	11,5 - 13/20°C (fresh mortar)
<b>Boiling point / range:</b>	n. a.
<b>Flash point:</b>	n. a.
<b>Autoignition temperature:</b>	n. a.
<b>Bulk density:</b>	1350 – 1500 kg/m <sup>3</sup> /20°C
<b>Viscosity:</b>	n. a.
<b>Explosion limits:</b>	n. a.
<b>Vapour pressure:</b>	n. a.
<b>Solubility in water:</b>	app. 1,5 g/l/20°C for cement app. 1,7g/l/20°C for calcium hydroxide
<b>Solids content:</b>	n. a.

## 10. STABILITY AND REACTIVITY

The product is stable under normal conditions of storage and handling. Dangerous reactions and dangerous decomposition products are not known. Do not store together with acids.

## 11. TOXICOLOGICAL INFORMATION

Not defined. **The fully cured product is not health hazardous.** The information shown in SECTION 2 and 3 is based on toxicity profiles for a number of cement based renders that are compositionally similar to this product.

## 12. ECOLOGICAL INFORMATION

Not defined. Prevent product from reaching sewage or aquatic environment (higher pH value of water).

## 13. DISPOSAL CONSIDERATIONS

Treat hardened mortar compound as a construction waste: **EWC: 17 09 04.**

Packaging **EWC 15 01 01**: Packaging may be recycled after appropriate cleaning.

## 14. TRANSPORT INFORMATION

**ADR/RID:** not classified

**IMDG:** not classified

Product: MINERAL TROWELLED RENDER 2,0/2,5

## 15. REGULATORY INFORMATION

### Danger symbol:

**Xi**, IRRITANT, contains cement and lime.

**R- Phrases:** R 36/38 Irritating to eyes and skin.  
R 41 Risk of serious damage to eyes.

**S- Phrases:** S 2 Keep out of reach of children.  
S 24/25 Avoid contact with skin and eyes.  
S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S 28 After contact with skin, wash immediately with plenty of water.  
S 37/39 Wear suitable gloves and eye/face protection

## 16. OTHER INFORMATION

### Explanation to R-phrases in section 2

R 36/38 Irritating to eyes and skin..  
R 41 Risk of serious damage to eyes.

This MSDS is issued in accordance with the EU Regulation 1907/2006/EC concerning REACH. The classification and labelling of the preparation are made according to the EU Directive 1999/45/EC as well as the international transport regulation is being considered.

The information contained herein relates only to the specific product identified. The information given is designed only as a guidance for safe handling, use, storage, transportation, disposal and release and is not to be considered a warranty or guarantee or quality specification. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

Date of the 1<sup>st</sup> preparation: August 7, 2001

Date of previous issue: February 5, 2008

Date of revision (version 05): February 10, 2009

**This MSDS has been revised in sections: 1, 2, 3, 13 and 16**