



MATERIAL SAFETY DATA SHEET

## REVITALCOLOR SILIKON

Page 1/4  
Date of issue  
Feb. 10, 2009

Version 03

### 1. IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

**Product name:** REVITALCOLOR SILIKON

**Product description:** Water-based silicone coating.

**Producer:** JUB chemical industry  
Dol pri Ljubljani 28  
1262 Dol pri Ljubljani  
Slovenia  
Phone: +386 1 58 84 183  
Fax.: +386 1 58 84 250  
E-mail: [info@jub.si](mailto:info@jub.si)  
Internet: [www.jub.eu](http://www.jub.eu)

**Emergency / information contact:** TRC-JUB (Technological Research Centre JUB)  
Phone: + 386 1 58 84 185  
Fax.: + 386 1 58 84 227  
E-mail: [info@trc-jub.si](mailto:info@trc-jub.si)

### 2. HAZARDS IDENTIFICATION

**Human health hazards.** No classification according to EC- directives.

**Environmental hazards.** No classification according to EC- directives.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

1. Composition Water based silicone resin emulsion and acrylic binders, extenders, pigments, special additives.
2. Hazardous ingredients This product is classified as not hazardous according to EC-directives EU 1999/45/EC.

#### 4. FIRST AID MEASURES

<b>Inhalation</b>	/
<b>Skin contact</b>	Wash skin with water.
<b>Eyes contact</b>	Flush eyes with water for 10 to 15 minutes, if necessary get medical attention.
<b>Ingestion</b>	Rinse mouth with water, do not induce vomiting, obtain medical attention immediately.

#### 5. FIRE-FIGHTING MEASURES

**Extinguishing media. /**  
**Fire fighting procedures. /**

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions.** Consider instructions for safe work ( see SECTION 7 and 8 ).  
**Environmental precautions.** Do not empty into drains or water.  
**Cleaning / Disposal.** Absorb or contain liquid with sand, earth or spill control material. Shovel up and place in a labelled container for subsequent safe disposal. We suggest mixing the paint residue with cement. After hardening deposit as waste building material in landfill in accordance with national regulations.

#### 7. HANDLING AND STORAGE

**Handling.** By skilled use no special measures are requested.  
**Storage.** Protect material from direct sunlight. Keep at room temperature away from strong acids, alkalis and strong oxidising agents. Keep from freezing. Keep out of reach of children. Keep away from food.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Respiratory protection.** When spraying use an approved respirator.  
**Hand and body protection.** Repeated or prolonged skin contact: use protective hand cream.  
**Eye protection.** Use splash goggles when eye contact may occur.  
**Hygiene measures.** Wash hands before breaks and immediately after handling the product.

Product: REVITALCOLOR SILIKON

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	liquid
<b>Colour:</b>	white, colour shades
<b>Odour:</b>	specific
<b>pH:</b>	9,5 – 10,5/20°C
<b>Boiling point / range:</b>	app. 100°C
<b>Flash point:</b>	n. a.
<b>Autoignition temperature:</b>	n. a.
<b>Density:</b>	1,65– 1,69 kg/dm <sup>3</sup> /20°C
<b>Viscosity:</b>	tixotropic
<b>Explosion limits:</b>	n. a.
<b>Vapour pressure:</b>	n. a.
<b>Solubility in water:</b>	miscible with water
<b>Solids content:</b>	69,0 – 72,0 wt.%

## 10. STABILITY AND REACTIVITY

The product is stable under normal conditions of storage and handling. Dangerous reactions and dangerous decomposition products are not known. Burning may form hazardous decomposition products: carbon dioxide and carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

**Basis for assessment.** Information given is based on data on the components and the toxicology of similar products. This product is classified as not hazardous according to EC – directives 88 / 379 / EEC. The fully cured product is not health hazardous.

## 12. ECOLOGICAL INFORMATION

**Basis for assessment.** Incomplete ecotoxicological data are available. The information given below is based partly on a knowledge of the components and the ecotoxicology of similar products.

Prevent product from reaching sewage or aquatic environment.

## 13. DISPOSAL CONSIDERATIONS

Liquid waste: **EWC: 08 01 12.** Disposal according to the local legislation. Liquid waste must not be disposed together with domestic wastes, poured into water or in sewage system.

After hardening deposit as a construction waste: **EWC: 17 09 04.**

Packaging **EWC 15 01 02:** Packaging may be recycled after appropriate cleaning.

Product: REVITALCOLOR SILIKON

**14. TRANSPORT INFORMATION**

ADR/RID: not classified

IMDG: not classified

**15. REGULATORY INFORMATION**

Danger symbol: not required

R- Phrases: not required

S- Phrases: not required

**16. OTHER INFORMATION**

This MSDS is issued in accordance with the EU Regulation 1907/2006/EC concerning REACH. The classification and labelling of the preparation are made according to the EU Directive 1999/45/EC as well as the international transport regulation is being considered.

The information contained herein relates only to the specific product identified. The information given is designed only as a guidance for safe handling, use, storage, transportation, disposal and release and is not to be considered a warranty or guarantee or quality specification.

It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

Date of the 1<sup>st</sup> preparation: April 10, 2007

Date of previous issue: February 5, 2008

Date of revision (version 03): February 10, 2009

**This MSDS has been revised in sections: 1, 2, 3, 13 and 16.**