

CERTIFICATE OF QUALITYPage: 1/1
Date of issue: June 16, 2008

1. PRODUCT NAME	JUBOSILF Silicone Façade Paint
2. GENERAL DESCRIPTION	Exterior waterborne silicon paint.
3. COMPOSITION	Water based silicone exterior paint free of ecologically harmful and health hazardous ingredients.
4. PHYSICAL AND CHEMICAL PROPERTIES	<p>4.1. APPEARANCE: viscous liquid</p> <p>4.2. COLOUR: white, colour shades</p> <p>4.3. DENSITY (kg/dm³/20°C): app.1,50</p> <p>4.4. pH (20°C): 9,5 – 10,5</p> <p>4.5. FLASH POINT: /</p> <p>4.6. SOLIDS CONTENT (%): 60,0 – 65,5</p> <p>4.7. DRY FILM THICKNESS (µm): app. 100</p> <p>4.8. WVTR µ (-): µ < 350</p> <p>4.9. VALUE Sd(m) , d=100µm: Sd<0,035 (EN ISO 7783-2, Class 1, high)</p> <p>4.10. LIQUID WATER PERMEABILITY (kg/m²h^{0,5}) : W_{24h} <0,06 (EN 1062 –3, Class 3, low)</p> <p>4.11. ADHESION TO MINERAL RENDER (EN ISO 4624): >0,4 N/mm²</p> <p>4.12. VOC: max. 6 g/l</p>
5. HAZARDS IDENTIFICATION	This product is classified as NOT HAZARDOUS according to EC-directive EU 1999/45/EC.
6. TEST REPORTS	ZAG Ljubljana, Report P 12/04 – 460-8, 11.06.2004 FPL Stuttgart, Report AT 026d/03, 17.07.2003 (reprint 25.04.2008)
7. The document was issued with the intention to prove the quality of the product according to specific requirements.	<p>R&D Coordination Manager Damjan Saksida, B. Sc. Chem. Techn.</p>