



**BARIL**

sustainable coating solutions

# **ROBOTON**

INDUSTRIAL COATINGS FOR CONCRETE AND CEMENT SURFACES


# DURABLE PROTECTION AND AESTHETIC FINISHING OF CONCRETE AND CEMENT SURFACES

SUITABLE FOR NEW AND EXISTING FLOORS, BALCONIES, BRIDGES, GARAGES, STAIRWAYS, ETC.

	Solventfree	Gloss	Theoretical coverage m <sup>2</sup> /l	DFT µm	VOC g/l
Primer/sealer	<b>834 Roboton EP Sealer SF</b>	Full Gloss	12,5 m <sup>2</sup> /l	30 µm	0 g/l
Topcoat	<b>826 Roboton PU Self Leveling SF</b>	Gloss	0,4 m <sup>2</sup> /l	1000-2500 µm	0 g/l
Topcoat	<b>836 Roboton 2K EP Self Leveling SF</b>	Semi Gloss	0,5 m <sup>2</sup> /l	1000-2500 µm	0 g/l
Topcoat	<b>837 Roboton 3K EP Self Leveling SF</b>	Semi Gloss	0,5 m <sup>2</sup> /l	1000-2500 µm	0 g/l
Topcoat	<b>838 Roboton EP Rollercoat SF</b>	Semi Gloss	10 m <sup>2</sup> /l	100-200 µm	15 g/l

	Waterbased	Gloss	Theoretical coverage m <sup>2</sup> /l	DFT µm	VOC g/l
Primer/sealer	<b>884 Roboton WB Sealer</b>	-	4-10 m <sup>2</sup> /l	20 µm	120 g/l
Topcoat	<b>885 Roboton SB PU Clear Matt</b>	Matt	8-10 m <sup>2</sup> /l	30-40 µm	90 g/l
Topcoat	<b>886 Roboton WB PU Clear Satin</b>	Semi Gloss	8-10 m <sup>2</sup> /l	30-40 µm	90 g/l

	Solventbased	Gloss	Theoretical coverage m <sup>2</sup> /l	DFT µm	VOC g/l
Primer/sealer	<b>842 Roboton EP Primer HS</b>	Semi Gloss	8 m <sup>2</sup> /l	60-100 µm	315 g/l
Topcoat	<b>824 Roboton Floorcoat PU 1K</b>	Matt	6-8 m <sup>2</sup> /l	40 µm	395 g/l
Topcoat	<b>825 Roboton PU Bodycoat</b>	Eggshell Gloss	6-8 m <sup>2</sup> /l	50-100 µm	460 g/l





# ROBOTON

**Define the requirements and typical features/ wishes which your project and/or product has to meet, and we select an appropriate top-of-market Roboton-system.**

#### **834 Roboton EP Sealer SF**

A two component low viscous solvent free transparent epoxy varnish and primer for concrete floors. Impregnation for new an existing concrete surfaces to prevent dust and as primer in combination with solvent free flooring systems.

#### **826 Roboton PU Self Leveling SF**

A two component solvent free polyurethane self levelling compound. Seamless flooring compound for new and existing concrete and steel floors, balconies, bridges, garages and stairways.

#### **836 Roboton 2K EP Self Leveling SF**

A two component solvent free epoxy based self levelling compound for concrete and steel surfaces for industrial purposes. Seamless flooring compound for new and existing concrete and steel floors, balconies, bridges, garages and stairways.

#### **837 Roboton 3K EP Self Leveling SF**

A three component solvent free epoxy based self leveling compound for concrete and steel surfaces for industrial purposes. Seamless flooring compound for new and existing concrete and steel floors, balconies, bridges, garages and stairways. To achieve a sustainable result, much care should be given to pre-treatment of the substrate, preferably by blasting and impregnation.

#### **838 Roboton EP Rollercoat SF**

A two component solvent free epoxy based roller coating for concrete and steel surfaces. For new and existing concrete and steel floors, balconies, bridges, garages and stairways.

#### **884 Roboton WB Sealer**

Water based clear concrete impregnating sealing based on acrylic emulsion. Sealer on concrete floors to protect against contamination and dust.

#### **885 Roboton SB PU Clear Matt**

State of the art water based 2 component polyurethane floor coating. For durable finishing of concrete and wooden floors and walls.

#### **886 Roboton WB PU Clear Satin**

State of the art water based satin 2 component polyurethane coating for the protection and finishing of wooden and concrete floors.

#### **842 Roboton EP Primer HS**

A universal two component epoxy based primer/ impregnation on concrete surfaces. Fast curing provides quick processing and handling. High mechanical strength provides minimum damage risk and rework. Can be finished with various epoxy and polyurethane floor coatings to provide long lasting sustainable protection.

#### **824 Roboton Floorcoat PU 1K**

Solvent based wear resistant matt urethane modified alkyd coating for concrete surfaces.

#### **825 Roboton PU Bodycoat**

An eggshell gloss high solids two component polyurethane coating for the durable protection and aesthetic finishing of concrete and cement surfaces in climatologic circumstances such as walls, floors and structural works.

- EASY APPLICATION
- CHEMICAL RESISTANT
- IMPACT RESISTANT
- ABRASION RESISTANT

Headquarters Baril Coatings BV  
Zilverenberg 9  
5234 GL 's-Hertogenbosch  
The Netherlands

P.O. Box 3027  
5203 DA 's-Hertogenbosch  
The Netherlands

T +31 (0) 73 6419 890  
E info@barilcoatings.nl

[www.barilcoatings.com](http://www.barilcoatings.com)

