

Printing date 07.04.2014

Revision: 07.04.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Safety data sheet

according to 1907/2006/EC, Article 31

- · 1.1 Product identifier
- · Trade name: <u>JUPOL LATEX SATEN</u>
- Article number: SJL ver. 25
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

Water-based dispersion coat product Jupol Latex Saten, SJL.

· Product category

JUPOL LATEX SATEN is an environmentally friendly washable decorative interior wall paint based on water dispersion of polymeric binders.

 \cdot Application of the substance / the mixture

JUPOL LATEX SATEN is an interior wall paint used for decorative protection of walls and ceilings in residential and business buildings, schools, nursery schools, hospitals, hotels, residences for the elderly and other buildings, where hygiene is maintained by frequent cleaning with standard household preparations. The product is a chemical compound characterised by low content of hazardous substances. It has been verified that the product does not contain dangerous and vaporous organic substances and heavy metals. Certified low emission of substances into a place during use is also characteristic of the product.

 \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: JUB d.o.o. Dol pri Ljubljani 28 1262 DOL PRI LJUBLJANI SLOVENIA T: + 386 1 5884 183 F: + 386 1 5884 250 E: info@jub.si

Further information obtainable from: Product safety department: TRC JUB d.o.o.
Branko Petrovic, MSc
T: +386 1 5884 185
F: +386 1 5884 227
E: branko.petrovic@trc-jub.si
1.4 Emergency telephone number:

During normal opening times (8 - 16h CET) Group JUB: +386 1 5884 185

United Kindom: NPIS 0870 600 6266

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

The product is not classified as a dangerous mixture in accordance with the Regulation on the classification of chemicals (Rules on classification and particularly EU Directives 1967/548/EEC and 1999/45/EC, neither bound by the Regulation CLP 2008/1272/EC) since the content of potentially dangerous components is lower than the criteria of classification.

• *Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.*

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Printing date 07.04.2014

Revision: 07.04.2014

(Contd. of page 1)

Trade name: JUPOL LATEX SATEN

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· Description:

Mixture of substances listed below with nonhazardous additions. The product is a chemical compound characterised by low content of hazardous substances. Main ingredients of Jupol Latex Saten are polymeric binders based on ethylene-vinyl-acetate binder, fine calcite and alumosilicate fillers, titanium dioxide, cellulose thickening agents and water.

· Dangerous components: Void

· Additional information:

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: CO2, sand, extinguishing powder. Do not use water.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Dilute with plenty of water.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • 6.4 Reference to other sections
- No dangerous substances are released.

(Contd. on page 3)

Printing date 07.04.2014

Revision: 07.04.2014

(Contd. of page 2)

Trade name: JUPOL LATEX SATEN

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special measures required.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- Further information about storage conditions: Store under lock and key and with access restricted to technical experts or their assistants only.
- Storage class: Storage class: 12 Incombustible products
- \cdot **7.3** *Specific end use*(*s*) *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling
- · Risk management measures

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of EN 388 (Category II).
- Protective goggles must comply with standard EN 166
- Protective mask respirator for small dust particles must conform to standard EN 149

(Contd. on page 4)

Printing date 07.04.2014

Trade name: JUPOL LATEX SATEN

Revision: 07.04.2014

(Contd. of page 3)

SECTION 9: Physical and ch	iemical properties
9.1 Information on basic physical a	and chemical properties
General Information	
Appearance:	
Form:	Fluid
Colour:	Different according to colouring
Odour: Odour threshold:	Mild Not determined.
pH-value at 20 °C:	> 9
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
Flash point:	> 100 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.33 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.6 %
VOC (EC)	0.70 %
	VOC content: max 1 g/L
	(the product is a subject to the Directive 2004/42/EC
	as a coating of cat. A/a)
Solids content:	59.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 5)

Printing date 07.04.2014

Revision: 07.04.2014

(Contd. of page 4)

Trade name: JUPOL LATEX SATEN

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

oral. > 5000 mg/kg (Rat)

dermal. > 5000 mg/kg(Rat)

- inhal. > 5 mg/kg, 4h (Rat)
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

20 01 28 paint, inks, adhesives and resins other than those mentioned in 20 01 27

15 01 02 plastic packaging

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

JUPOL LATEX SATEN is not classified as a substance or compound which would be dangerous for transport in accordance with provisions of transport regulation. Void

· ADR, ADN, IMDG, IATA

(Contd. on page 6)

Printing date 07.04.2014

Revision: 07.04.2014

Trade name: JUPOL LATEX SATEN

	(Contd. o	f page 5
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
\cdot 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	e x II of Not applicable.	
· Transport/Additional information:		
· ADR · Limited quantities (LQ)	-	
· UN "Model Regulation":	UN-, -	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

In accordance with the current regulation the product is not classified as a dangerous substance or mixture. General safety measures should be considered when working or handling with the product.

· Labelling according to EU guidelines:

- · Special labelling of certain preparations: -
- · Chemical safety assessment -
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Recommended restriction of use

Indications contained by this document are based on the state of our knowledge at the moment of revision of this document. They do not present the guarantee for characteristics of the described product in terms of statutory provisions for guarantee.

Making this document available does not relieve the purchaser of this product from their responsibility to comply with applicable laws and provisions applying to this product. This is especially true for the resale of this product or mixtures made from it or products on other fields of law as well as for industrial property rights of the third party. If you process the described product or mix it with other materials, indications contained by this document cannot be transferred onto the thus obtained new product unless this is especially mentioned. In the repacking of the product, the customer must append the necessary security relevant information.

· Department issuing MSDS: Product safety department

(Contd. on page 7)

Printing date 07.04.2014

Revision: 07.04.2014

Trade name: JUPOL LATEX SATEN

(Contd. of pa	ige 6
Contact:	
Branko Petrovic, MSc.	
T: + 386 1 5884 185	
E: branko.petrovic@trc-jub.si	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Interna	iona
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
* Data compared to the previous version altered. Version 1.0, 5.03.2013.	